TRIMBLE® S6 ACCESSORIES BUNDLES GUIDE

TRIMBLE S6 SERVO ACCESSORY KIT RECOMMENDATIONS

SLSU-S2001 Servo Target Kit containing:

571126110 Prism: Reflector tiltable, large 63.5 mm (2.5 in)



571126311 Signal Pin (for 571126110 & 571126100)

Note: Order the standard Trimble rod (PN 51003007) separately.

SLSU-S2004 Servo/Autolock® Power Kit containing:

51693-00 Power and Charging Kit including:

- 49499-00 Charger:

Trimble Battery System Charger

- 51694 Power:

Power Supply for Trimble Battery System Charger 100 V to 240 V (Trimble S6/5800)

- 51695 Cable:

Power cable for Power Supply

58382001

Case: Power and charger kit (Trimble S6)



49400

Battery: Li-Ion battery Trimble S6 4.4 Ah 11.1 V

Note: Two batteries included.









P-S1001 Trimble CU with Trimble Survey Controller™ software, OR P-S1002 Trimble CU with *Survey Pro software, OR P-S1004 Trimble CU with Trimble Survey Manager™ software containing:

58050001 Trimble CU with software installed



58252001 Accessory: Docking station for Trimble CU



78600007 Power: Power supply 12 V, for Docking station



73840001 Cable: 2.5 m, Hirose 6-pin to PC USB

(GPS/Robotic holder/Docking station)



73841001 Cable: 0.18 m, Robotic, Hirose 6-pin to USB memory stick, CompactFlash card reader

51174001 Acc

Accessory: Screen protector, pack of 10

(not picturea)

Note: The software package contained in the kit depends on bundle choice.



^{*} Subject to availability.

TSC211110 TSC2 with Trimble Survey Controller software, no internal radio OR TSC221110 TSC2 with Survey Pro software (TS) with TSX, with internal radio containing:

TSC2™ controller with software installed



Note: Included parts not listed. The software supplied depends on bundle choice.

56046-00 TSC2 Servo/Autolock Accessory Kit

Included parts: 53002007 Cable Hirose 6-pin to DB9-pin, 53706-00 TSC2 Tripod bracket and 73840001 Cable Hirose 6-pin to PC USB

SLSU-S2009 Traverse Kit containing:

78607007 Accessory: Tribrach without optical plummet



78608007 Accessory: Prism Base with level and optical plummet



78609007 Prism: Traverse prism 35 mm



78300007 Prism: Extra sighting target for traverse prism (Trimble S6)



58384001 Case: Traverse Kit (Trimble S6)



Other Accessories

73835001 Cable: 3.0 m, Cigarette lighter to Hirose 6-pin



73836001 Cable: 3.0 m, Car battery (Crocodile Clips) to Hirose 6-pin



TRIMBLE S6 AUTOLOCK ACCESSORY KIT RECOMMENDATIONS

SLSU-S2002 Autolock/Robotic Target Kit containing:

58128001

Prism: 360 Prism, Prism const: 2 mm (Trimble S6) (including height extension rod for 360 prism)



Note: Order the standard Trimble rod (PN 51003007) separately.

SLSU-S2004 Servo/Autolock Power Kit containing:

51693-00

Power and Charging Kit including:

-49499-00 Charger:

Trimble Battery System Charger

-51694 Power:

Power Supply for Trimble Battery System Charger 100 V to 240 V (Trimble \$6/5800)

-51695 Cable:

Power cable for Power Supply



Case: Power and charger kit (Trimble S6)

49400

Battery: Li-Ion Battery Trimble S6 4.4 Ah 11.1 V

Note: Two batteries included.











P-S1001 Trimble CU controller with Trimble Survey Controller software, OR P-S1002 Trimble CU controller with *Survey Pro software, OR P-S1004 Trimble CU controller with *Trimble Survey Manager software containing:

58050001

73840001

Trimble CU with software installed

58252001

73841001

58382001

Accessory: Docking station for Trimble CU

78600007

Power: Power supply 12 V, for Docking station (Trimble \$6/5800)







Cable: 6-pin Hirose to USB-stick

or CompactFlash card reader

51174001

Accessory: Screen protector, pack of 10

(not picturea)

Cable: 2.5 m, Hirose 6-pin to PC USB (GPS/Robotic holder/ Docking station)



Note: The software package contained in the kit depends on bundle choice.

^{*} Subject to availability.

TSC211110 TSC2 with Trimble Survey Controller software, no internal radio OR TSC221110 TSC2 with Survey Pro software (TS) with TSX, with internal radio containing:

TSC2 controller with software installed



Note: Included parts not listed. The software supplied depends on bundle choice.

56046-00 TSC2 Servo/Autolock Accessory Kit

Included parts: 53002007 Cable Hirose 6-pin to DB9-pin, 53706-00 TSC2 Tripod bracket and 73840001 Cable Hirose 6-pin to PC USB

SLSU-S2009 Traverse Kit containing:

78607007 Accessory: Tribrach without optical plummet



78608007 Accessory: Prism Base with level and optical plummet



78609007 Prism: Traverse prism 35 mm



78300007 Prism: Extra sighting target for traverse prism (Trimble S6)



58384001 Case: Traverse Kit (Trimble S6)



Other Accessories

73835001 Cable: 3.0 m, Cigarette lighter to Hirose 6-pin



Cable: 3.0 m, Car battery (Crocodile Clips) to Hirose 6-pin



73836001

TRIMBLE S6 ROBOTIC ACCESSORY KIT RECOMMENDATIONS

SLSU-S2002 Autolock/Robotic Standard Rod Kit containing:

58128001

Prism: 360 Prism, Prism const: 2 mm (Trimble S6) (including height extension rod for 360 prism)

Note: Order the standard Trimble rod (PN 51003007) separately.



SLSU-S2003 Robotic Target Kit with Target ID containing:

58128001

Prism: 360 Prism, Prism const: 2 mm (Trimble S6) (including height extension rod for 360 prism)

58314001

Target: Target ID, including mini rod (Trimble S6)

Note: Order the standard Trimble rod (PN 51003007) separately.







SLSU-S2006 Robotic holder including built-in 2.4 GHz Radio: Global, OR SLSU-S2007 Robotic holder including built-in 2.4 GHz Radio: France, OR SLSU-S2008 Robotic holder including built-in 2.4 GHz Radio: Japan, containing:

One of the following:

58021007 Holder: Robotic holder for Trimble CU including 2.4 GHz radio: Global

58022007 Holder: Robotic holder for Trimble CU including 2.4 GHz radio: France

58023007 Holder: Robotic holder for Trimble CU including 2.4 GHz radio: Japan



49400

Battery: Li-Ion Battery Trimble S6 4.4 Ah 11.1 V

Note: One battery included.

58211001

Bracket: For Robotic holder/ GPS holder on standard rod (Trimble S6, 5800)





58561001

Accessory: Carrying strap for Robotic/GPS holder (Trimble S6/5800) 58383001

Case: Robotic/GPS kit (Trimble S6, 5700, 5800, Trimble R7, Trimble R8)





P-S1001 Trimble CU controller with Trimble Survey Controller software, OR P-S1002 Trimble CU controller with *Survey Pro software, OR P-S1004 Trimble CU controller with *Trimble Survey Manager software containing:

58050001 Trimble CU with software installed

58252001

Accessory: Docking station for Trimble CU

78600007 Power: Power supply 12 V, for Docking station (Trimble S6/5800)

73840001 Cable: 2.5 m, Hirose 6-pin to PC USB (GPS/Robotic Holder/

Docking Station)



73841001 Cable: 6-pin Hirose to USB-stick or CompactFlash reader

51174001 Screen protector, pack of 10

(not picturea)

Note: The software package contained in the kit depends on bundle choice.

TSC212110 TSC2 with Trimble Survey Controller software, internal 2.4 GHz radio, Global ORTSC213110 TSC2 with Trimble Survey Controller software, internal 2.4 GHz radio, France OR TSC214110 TSC2 with Trimble Survey Controller software, internal 2.4 GHz radio, Japan OR TSC222110 TSC2 with Survey Pro software (TS) with TSX, internal 2.4 GHz radio, Global

TSC2 controller with software installed



Note: Included parts not listed. The software supplied depends on bundle choice.

56045-00 TSC2 Robotic Accessory Kit Included parts: 53002007 Cable Hirose 6-pin to DB9-pin, 53705-00 TSC2 Range Pole bracket and 73840001 Cable Hirose 6-pin to PC USB

SLSU-S2005 Robotic Power Kit containing:

51693-00 Power and Charging Kit including:

-49499-00 Charger:

Trimble Battery System Charger

-51694 Power:

Power Supply for Trimble Battery System Charger 100 V to 240 V (Trimble \$6/5800)

-51695 Cable:

Power cable for Power Supply







73837001 Cable: 1.0 m, Hirose 6-pin to

Hirose 6-pin (Trimble S6)



50113-00

Battery: Multi Battery Adapter, for up to 3 batteries



^{*} Subject to availability.

49400

Battery: Li-Ion Battery Trimble S6 4.4 Ah 11.1 V

Note: Three batteries included.



58382001

Case: Power and charger kit (Trimble S6)



SLSU-S2009 Traverse Kit containing:

78607007 Accessory: Standard Tribrach



78608007

Accessory: Prism Base with level and optical plummet



78609007

Prism: Traverse prism 35 mm



78300007

Prism: Extra sighting target for traverse prism (Trimble S6)



58384001

Case: Traverse Kit (Trimble S6)



Other Accessories

73835001 Cable: 3.0 m, Cigarette lighter to Hirose 6-pin




73836001

Cable: 3.0 m, Car battery (Crocodile Clips) to Hirose 6-pin



LIST OF ACCESSORIES FOR THE TRIMBLE S6 TOTAL STATION

	Rod & Trimble CU Rod Accessories		Cables
51003007	Rod: Trimble standard rod (Trimble S6)	53001007	Cable 0.3 m Hirose 6-pin USB to 7-pin Lemo female RS232 (GPS)
58211001	Trimble CU bracket: For Robotic holder/GPS holder on standard rod	53002007	Cable: 2.5 m, Hirose 6-pin to PC DB9F RS232
58314001		53003007	· · · · · · · · · · · · · · · · · · ·
363 1400 1	Target: Target ID, including mini rod (Trimble S6)		Cable: Hirose 6-pin to 26-pin (Trimble S6 Servo/Autolock/TSCe)
	Driema Ballantara & Brian Assessarias	53004007	Cable: 1.5 m, Hirose 6-pin to 7-pin male Lemo RS232 (GPS)
E0430004	Prisms, Reflectors & Prism Accessories	73835001	Cable: 3.0 m, Cigarette lighter to Hirose 6-pin
58128001	Prism: 360 Prism, Prism const: 2 mm (Trimble S6)	73836001	Cable: 3.0 m, Car battery (Crocodile Clips) to Hirose 6-pin
78400007	Prism: Tiltable reflective target 60 × 60 mm, Prism const: 0 mm (Trimble S6)	73837001	Cable: 1.0 m, Hirose 6-pin to Hirose 6-pin (Trimble S6)
571125021	Prism: Super prism 63.5 mm (2.5 in) (571126120 Traversing target)	73838001	Cable: 2.5 m, Hirose 6-pin to Hirose 6-pin (Trimble S6)
571126100	Prism: Reflector tiltable, small, 38.1 mm (1.5 in)	73839001	Cable: 0.75–1.75 m, Hirose 6-pin to Hirose 6-pin, spiral (Trimble S6)
571126110	Prism: Reflector tiltable, large 63.5 mm (2.5 in)	73840001	Cable: 2.5 m, Hirose 6-pin to PC USB (GPS/Robotic holder/Docking station)
571126311	Signal pin (for 571126110 & 571126100)	73841001	Cable: 6-pin Hirose to USB-stick or CompactFlash card reader
	Batteries, Battery Chargers, Power Supplies,		Tribrachs & Traverse Accessories
	Power Accessories	78300007	Prism: Extra sighting target for traverse prism (Trimble S6)
49400	Battery: Li-Ion battery Trimble S6 4.4 Ah 11.1 V	78606007	Accessory: Laser tribrach (Trimble S6)
50113-00	Battery: Multi Battery Adapter, for up to 3 batteries	78607007	Accessory: Tribrach without optical plummet
51693-00	Power and Charging Kit including:	78608007	Accessory: Prism base with level and built-in optical plummet (Trimble S6)
31033 00	– 49499-00 Charger: Trimble Battery System Charger	78609007	Prism: Traverse prism 35 mm
	- 51694 Power: Power Supply for Trimble Battery System Charger	571126120	Target: Traversing target, tiltable (500/600/5600/C100/Trimble S6)
	100 V to 240 V (Trimble S6/5800)	571126124	Target: Extra sighting target for 571126120, (pack of 3)
	– 51695 Cable: Power cable for Power Supply	571120124	(500/600/5600/C100/Trimble S6)
52030	Battery: Li-Ion 7.4 V 2.0 Ah (Standard Trimble GPS internal battery that also		(550) 550 (550) (1100) (1111) (550)
32030	fits the external radio)		Transport & Accessory Cases
	ins the external radio)	58225001	Case: Instrument transport case
	Trimble CU Controller, Holders, & Accessories	58382001	Case: Power and charger kit (Trimble S6)
55000440	Accessory: CompactFlash card reader	58383001	Case: Robotic/GPS kit (Trimble S6, 5700, 5800, Trimble R7, Trimble R8)
55000440	Accessory: USB memory device, 128 MB	58384001	Case: Traverse kit (Trimble S6)
58021007	Holder: Robotic holder for Trimble CU including 2.4 GHz radio: Global	30304001	case. Haveise kit (Hillible 50)
58022007	Holder: Robotic holder for Trimble CU including 2.4 GHz radio: Global Holder: Robotic holder for Trimble CU including 2.4 GHz radio: France		TSC2 Controller Radio & Accessories
58023007	Holder: Robotic holder for Trimble CU including 2.4 GHz radio: Japan	TSC211110	Radio: TSC2 with Trimble Survey Controller software, no internal radio
58050001	•	TSC211110	Radio: TSC2 with Trimble Survey Controller software, no internal 2.4 GHz radio, Global
	Trimble CU with software installed (See Recommended Kits)	TSC212110	Radio: TSC2 with Trimble Survey Controller Software, with Internal 2.4 GHz radio, Global Radio: TSC2 with Trimble Survey Controller software, with internal 2.4 GHz radio, France
58252001	Accessory: Docking station for Trimble CU	TSC213110	
58317001	Holder: GPS holder for Trimble CU (Trimble R8, 5800, Trimble R7, 5700) without radio	TSC214110	Radio: TSC2 with Trimble Survey Controller software, with internal 2.4 GHz radio, Japan
58561001	Accessory: Carrying strap for Robotic/GPS holder	TSC221110	Radio: TSC2 with Survey Pro software (TS) with TSX, no internal radio Radio: TSC2 with Survey Pro software (TS) with TSX, with internal 2.4 GHz radio, Global
78600007	Power: Power supply 12 V, for Docking station (Trimble S6/5800)	TSC222110	•
571906329	Accessory: CompactFlash card 128 MB		Radio: TSC2 with Survey Pro software (IS) with TSX, no internal radio
	Outland &	TSC252110	Radio: TSC2 with Survey Pro software (IS) with TSX, with internal 2.4 GHz radio, Global
	Optical Accessories	53701-00	Accessory: TSC2 PowerBoot Module
78100007	Accessory: Steep sighting prism (Trimble S6)	53707-00	Accessory: TSC2 Vehicle charger
78200007	Accessory: Sunfilter (Trimble S6)	53708-00	Accessory:TSC2 Power Supply
78500007	Accessory: 90 degree eye piece (Trimble S6)		Other Assessment
		E4003007	Other Accessories
		51002007	Accessory: Rain cover (Trimble S6)
		51004007	Accessory: Instrument height meter (Trimble S6)
		51174001	Accessory: Screen protector, pack of 10
© 2005, Trimble Navigation Limited. All rights reserved. Trimble, the Globe & Triangle logo and Autolock are trademarks of Trimble Navigation Limited registered in the United States Patent and Trademark Office and other		55000439	Accessory: The Walker for Trimble S6
trademarks of Irimbie Navigation Limited registered in the United States Patent and Iriademark Office and other countries. Survey Manager, Trimble Survey Controller, and TSC2 are trademarks of Trimble Navigation Limited. All other trademarks are the property of their respective owners. Reorder PN 622543-094A (07/05)			



NORTH AMERICA

Trimble Engineering & Construction Group 5475 Kellenburger Road Dayton, Ohio 45424-1099 • USA 800-538-7800 (Toll Free) +1-937-245-5154 Phone +1-937-233-9441 Fax

EUROPE

Trimble GmbH Am Prime Parc 11 65479 Raunheim • GERMANY +49-6142-2100-0 Phone +49-6142-2100-550 Fax

ASIA-PACIFIC

Trimble Navigation
Singapore Pty Limited
80 Marine Parade Road
#22-06, Parkway Parade
Singapore 449269 ● SINGAPORE
+65-6348-2212 Phone
+65-6348-2232 Fax

